

PROLITE-11B Pocket visual fault locator

- ✓ **Small, pocket-size fault locator.**
- ✓ **Universal adapter. Fits any fibre.**

PROLITE-11B is a new, powerful, mini visual laser source for fiber fault locating. It has attractive design and small size and it is easy to operate.

Visual fault locator is typically used to inspect damaged or broken point of an optical fiber, cable or patch cord. The leaking red light from the damage reveals the faulty spot. Another way of using **PROLITE-11B** is to identify individual fibers from other fibers for example at ODF.



- ✓ **Universal 2.5 mm adapter.**
- ✓ **Uses AAA standard batteries (2 pcs).**
- ✓ **Includes carrying bag.**

SPECIFICATIONS	PROLITE-11B - Pocket visual fault locator
Laser class	Class IIIA
Output power	≥ 1 mW
Operating range	Approx. 5km (detecting range will be different with different fibers)
Laser type	Laser diode
Optical connector	2.5 mm universal
Wavelength	650 nm ±10 nm
Modulations	Continuous / 2 Hz
POWER SUPPLY	2 x AAA LR03 batteries. Battery life: About 23 hours (*)
INCLUDED ACCESSORIES	2 x AAA batteries, Manual, Carrying case
MECHANICAL FEATURES	
Dimensions	W. 120 x H. 33 x D. 30 mm
Weight	About 67.8 g

(*) Tested with 2 x AAA batteries at 23 °C ±3 °C