





www.tvbtech.com www.draincamera.com



Industrial Video Drain / Pipe Inspection Inspection Camera

Model No.3599FB

This is a professional video inspection camera designed for inspection of sewer, pipe, air ducts, undergound cable pipes, etc. Equipped with a Φ 23mm 1/3' CMOS camera head, 20~40m fiberglass rod cable and 10.1 'LCD monitor with SD card recording, it's a great choice for pipe DN 50mm~140mm.



Compact, Rugged and Waterproof Design




TVBTECH CO.LTD














www.tvbtech.com www.draincamera.com

Industrial Video Drain / Pipe Inspection Inspection Camera

Popularity of this product

Our 3499F/FB pipe inspection cameras have gained global popularity, particularly in pipes with diameters of 32-100mm, where they have become one of the world's best-selling cameras. The robust durability, consistent quality, and affortable pricing have earned full satisfaction and reputation from all our clients.

Now, building upon the 3499F/FB platform, we have developed this fully rainproof model, allowing users to safely use the machine in rainy conditions.







Features

- ♦ 1/3 inch CMOS 1080P AHD camera head, 130° wide vision angle
- Stainless steel camera head, IP68 waterproof level
- Sapphire glass lens cover, 15 high light white LEDs
- ♦ Diameter of camera: 23 mm
- ♦ Four plastic guides for camera head, Φ46mm, Φ80mm, Φ86mm and Φ100mm
- 10.1" LCD color monitor
- SD Card slot to store still pictures or videos
- One push record button
- ♦ LED brightness control button
- With microphone for local audio recording
- Rechargeable battery lasts up to 6 hours
- On-Screen date and time, distance counter
- 20,30,40m fiberglass Φ6.8mm push rod
- Ability to go through 90°bends in Φ52mm pipes
- With smart braking system
- With Keyboard for text input (English)

Specifications

| Camera Head | | Ccable Reel | |
|------------------|-------------------------|-----------------|----------------------------|
| Sensor: | 1/3 inch CMOS | Material: | Fiberglass rod cable |
| Resolution: | AHD 1920x1080 | Wheel: | Stainless steel wheel |
| Head Dimension: | 23mm(dia.)x51mm(length) | Cable Length: | 20, 30 or 40m optional |
| Camera Material: | 304# Stainless Steel | Connector: | Gold touch-point connector |
| View Angle: | 130° wide angle | Rotation: | Slip ring |
| Lens Cover: | Sapphire glass | Wheel diameter: | 33cm |
| Leds: | 15 pcs High White LEDS | Cable diameter: | 6.8mm (0.2") |
| Water Proof: | IP68-20m under water | | |
| Focus Distance: | 15cm(Approx) | | |

I CD Dienlay and DVR

| LCD Display and DVN | |
|---------------------|-------------------------------|
| LCD Resolution: | 1024x600 pixels |
| Video Resolution: | AHD 1080P |
| Video Compress: | MPEG-4 |
| Recording: | Video and audio recording |
| Picture: | Picture shotfunction |
| LCD Size: | 10.1 inch |
| Menu Language: | 14 Languages |
| Panel Control: | Any functions through buttons |
| External Memory: | SD Card(Max.64GB) |

Industrial Video Drain / Pipe Inspection Inspection Camera

Own Repairable



You can get any spare parts or guides from us to repair your cameras in your own company.



Parts for a kit

















1 x Control Box

1 x 86mm Skid

1 x 100mm skid

1 x Cable Reel





1 x PowerAdapter

1 x Car Charger



1 x Connection Cable



1 x Screw Driver